



DETAIL A
SCALE 1 : 10

NOTE: DO NOT USE A WASHER ON BACKSTOP END OF THE CABLE




DETAIL B
SCALE 1 : 5

NOTE: PARTS SHOULD BE IN CONTACT WITH EACH OTHER



DETAIL C
SCALE 1 : 5

UPPER SIDE BRACKET OF IMPACT HEAD HAS BEEN HIDDEN FOR CLARITY



DETAIL D
SCALE 1 : 10

SOME ITEMS HAVE BEEN HIDDEN FOR CLARITY

NOTE: WHILE TURNING THE FRICTION PLATE, ALTERNATE TIGHTENING OF THE BOLTS TO EASE THE ROTATION OF THE FRICTION PLATE TO ITS FINAL POSITION

NOTE: THE EDGES OF THE FRICTION PLATE SHOULD BE TOUCHING THE FLAT AREAS OF THE CABLE LOCKING PLATES



**306 Neilson Street,
Onehunga, Auckland
PO Box 12 949, Pentrose
Auckland, New Zealand
Telephone 09-634 1239
Facsimile 09-634 4525
www.cspacific.co.nz**

Copyright. The design information and drawing remain the property of CSP Pacific and may not be used or copied without approval in writing from CSP Pacific.

**X-TENUATOR
100kph NARROW**

AF/BSI Reference Dwg No. XTEN100N
SHEET 3 OF 4

Drawn by	SB	Date	19/05/11
Checked	--	Scale A4	NTS
Reference No.			
Drawing no.	FX584-3		
Rev No	1		